

Data & Telecommunication Network Cabinet



The Storage System For Technology Tomorrow

Ideal..

for telecommunications, Intranet,
Extranet, and Internet

Modular Concept...

knockdown concept design with lots
of built-in benefits.


Advantages of Aluminum Alloy...

Lightweight, strength, decorative,
corrosion resistant, etc.



19英寸標準型儀器架

1U=1.75Inches=44.5mm




• 符合 ANSI/EIA RS-310-C/D 19 英寸規格

MDD 19英寸標準型尺寸表

型號	W0	W1	W2	H0	H1	H2	D0	D1	D2
MDD60-15U-30	598	483	450	877	777	667	600	140	460
MDD60-30U-30	598	483	450	1544	1444	1334	600	140	460
MDD60-35U-30	598	483	450	1766	1666	1556	600	140	460
MDD60-41U-30	598	483	450	2033	1933	1823	600	140	460
MDD70-15U-30	598	483	450	877	777	667	700	140	560
MDD70-30U-30	598	483	450	1544	1444	1334	700	140	560
MDD70-35U-30	598	483	450	1766	1666	1556	700	140	560
MDD70-41U-30	598	483	450	2033	1933	1823	700	140	560
MDD90-30U-30	598	483	450	1544	1444	1334	900	140	760
MDD90-35U-30	598	483	450	1766	1666	1556	900	140	760
MDD90-41U-30	598	483	450	2033	1933	1823	900	140	760


Feature / 產品特點

- ◆符合ANSI/EIA RA-310-C/D 19英寸規格
- ◆模組化設計、多種尺寸供選用
- ◆可代客戶印製上框銘牌
- ◆前後門不需工具即可安裝或拆卸
- ◆前後門含隱藏式門鎖安全無虞、管理方便
- ◆使用鋁合金材質 (AL6063T5) 輕便、穩固、耐用
- ◆活動輪設計、施工、安裝容易
- ◆側門板可拆卸、系統維修容易
- ◆多台可並聯、美觀、省空間
- ◆模組化結構、機櫃並聯、擴充容易
- ◆前後門可依客戶需求，左開或右開
- ◆週邊配備齊全可供選用
- ◆機櫃鋁柱兩側、空間加大、配線方便容易
- ◆可依客戶需求、製作特殊尺寸與配件



19英寸加寬型儀器架

1U=1.75Inches=44.5mm



• 符合 ANSI/EIA RS-310-C/D 19 英寸規格



MDD 19英寸加寬型尺寸表

型號	W0	W1	W2	H0	H1	H2	D0	D1	D2
MDD60-35U-31	737	483	450	1766	1666	1556	600	140	460
MDD60-41U-31	737	483	450	2033	1933	1823	600	140	460
MDD70-35U-31	737	483	450	1766	1666	1556	700	140	560
MDD70-41U-31	737	483	450	2033	1933	1823	700	140	560
MDD90-35U-31	737	483	450	1766	1666	1556	900	140	760
MDD90-41U-31	737	483	450	2033	1933	1823	900	140	760